



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Reports of States and yearly and monthly reports of cities of the United States.*

CALIFORNIA—*Sacramento*.—Month of May, 1899. Estimated population, 30,000. Total number of deaths, 36, including cerebro spinal meningitis, 2, and 8 from phthisis pulmonalis.

*San Diego*.—Month of May, 1899. Estimated population, 16,159. Total number of deaths, 19. No contagious diseases.

CONNECTICUT—Reports to the State board of health for the month of May, 1899, from 167 towns having an aggregate estimated population of 892,480, show a total of 1,025 deaths, including diphtheria, 13; enteric fever, 5; measles, 4; scarlet fever, 6; la grippe, 4; cerebro spinal meningitis, 14, and 112 from phthisis pulmonalis.

ILLINOIS—*Ottawa*.—Month of May, 1899. Estimated population, 9,985. Total number of deaths, 7. No deaths from contagious diseases reported.

IOWA—*Davenport*.—Month of May, 1899. Estimated population, 40,000. Total number of deaths, 48, including enteric fever, 1, and 4 from phthisis pulmonalis.

MAINE—*Portland*.—Four weeks ended June 10, 1899. Estimated population, 50,000. Total number of deaths, 62, including diphtheria, 1; measles, 2; scarlet fever, 2, and 3 from phthisis pulmonalis.

MASSACHUSETTS—*Fitchburg*.—Month of May, 1899. Estimated population, 29,438. Total number of deaths, 30, including measles, 1; scarlet fever, 1, and 5 from phthisis pulmonalis.

*Lawrence*.—Month of April, 1899. Estimated population, 58,500. Total number of deaths, 110, including diphtheria, 4; enteric fever, 3; scarlet fever, 1, and 1 from phthisis pulmonalis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended June 10, from 96 observers, indicate that phthisis pulmonalis was reported present at 175, measles at 53, scarlet fever at 40, diphtheria at 17, enteric fever at 15, whooping cough at 15, cerebro spinal meningitis at 8, and smallpox at 2 places—Bronson Township and Franklin Township.

*Port Huron*.—Month of May, 1899. Estimated population, 20,000. Total number of deaths 16. No deaths from contagious diseases.

MINNESOTA—*Minneapolis*.—Month of May, 1899. Estimated population, 225,622. Total number of deaths, 189, including diphtheria, 3; enteric fever, 5; whooping cough, 2, and 25 from phthisis pulmonalis.

*Winona*.—Month of May, 1899. Estimated population, 24,000. Total number of deaths, 18, including 4 from phthisis pulmonalis.

NEW HAMPSHIRE—*Manchester*.—Month of May, 1899. Estimated population, 60,000. Total number of deaths, 92, including diphtheria, 1; enteric fever, 1; whooping cough, 2; la grippe, 1, and 5 from phthisis pulmonalis.

NEW YORK—*Auburn*.—Month of May, 1899. Estimated population, 30,000. Total number of deaths, 44, including diphtheria, 4; cerebro spinal meningitis, 1, and 5 from phthisis pulmonalis.

*Buffalo*.—Month of May, 1899. Estimated population, 370,000. Total number of deaths, 358, including diphtheria, 4; enteric fever, 4; measles, 1; scarlet fever, 1; influenza, 1; cerebro-spinal meningitis, 2, and 49 from phthisis pulmonalis.

OHIO—*Cleveland*.—Month of May, 1899. Estimated population, 395,000. Total number of deaths, 431, including diphtheria, 3; enteric fever, 11; scarlet fever, 1; influenza, 2; cerebro-spinal meningitis, 6, and 12 from phthisis pulmonalis.

TEXAS—*Laredo*.—Month of May, 1899. Estimated population, 14,000. Total number of deaths, 61, including whooping cough, 3, and 10 from phthisis pulmonalis.

*San Antonio*.—Month of May, 1899. Estimated population, 63,000. Total number of deaths, 202, including measles, 2; smallpox, 1; cerebro-spinal meningitis, 3, and 27 from phthisis. Of this number 14 were nonresidents.

WASHINGTON—*Seattle*.—Month of May, 1899. Estimated population, 75,000. Total number of deaths, 45, including diphtheria, 2, and 5 from phthisis pulmonalis.

*Tacoma*.—Month of May, 1899. Estimated population, 50,000. Total number of deaths, 19, including cerebro-spinal meningitis, 2, and 5 from phthisis pulmonalis.

WISCONSIN—*Superior*.—Month of May, 1899. Estimated population, 30,000. Total number of deaths, 38, including 1 from scarlet fever.